31/08/2001

SUPPLY PIPING REAR SUSPENSION



[11/98] M3941-04

M39- A

			HYDRAULIC TUBE
12	5270 J[illegible]	[illegible]	DIAM 3,5 L = 698 TO O 06551
	5270 X5	01	DIAM 3,6 L = 635 FROM O 06552
13	5270 J2	01	DIAM 3,5 L = 332
14	5270 67	01	DIAM 3,5 L = 387
15	5270 EL	01	DIAM 16X150
16	5270 J3	01	
			PIPE 3WAY UNION
17	5 444 608	01	
18	95 567 472	01	3 DIAM 3,5 AV

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394130A

				HYDRAULIC TUBE
	5270 JT	01	DIAM 6,35 -LONG 1101 -TURBO DIESEL XUD11BTE, BVA, AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07659
3	**5270 F3**	01	4,5 LONG 1450 -INJECTION XU10J4R, BVM, 5 DOOR SALOON TO O 07083
	5270 FH	01	DIAM 4,5 L = 1534 -INJECTION XU10J4R, BVM, 5 DOOR SALOON FROM O 07084
	5270 F4	01	DIAM 4,5 L = 1370 -BVM: INJECTION XU10J4R, 5 DOOR ESTATE OR TURBO DIESEL XUD11BTE
	5270 G1	01	DIAM 4,5 L = 1443 -BVA: INJECTION XU10J4R OR TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE
4	**96 154 101**	01	DIAM4,5 L=1284 -LEFT HAND DRIVE TO O 06778
	4885 F5	01	DIAM 4,5 L = 1324 -LEFT HAND DRIVE FROM O 06779
5	**5270 W7**	01	DIAM 3,5 L = 1479
6	**5270 G6**	01	DIAM 3,5 L = 1168
7	**5270 H4**	01	DIAM 3,5 L = 454
8	**5270 H1**	01	DIAM 3,5 L = 1039
9	**5270 H2**	01	DIAM 3,5 L = 550
10	**5270 H3**	01	DIAM 3,5 L = 311
11	**5270 X7**	01	DIAM 3,5 L = 386
12	**5270 J5**	01	DIAM 3,5 L = 521 TO O 06551
	5270 X3	01	DIAM 3,5 L = 578 FROM O 06552
13	**5270 J6**	01	DIAM 3,5 L = 387 TO O 06551

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[11/98] M394110A

M394110A

- UNVARIABLE POWER STEERING, 5 SUCKERS PRESS PUMP, WITHOUT HYDRACTIVE SUSPENSION

			SUCTION TUBE
1	5270 48	01	- INJECTION XU10J2 OR TURBO INJECTION XU10J2TE BVA TO O 06778 OR DIESEL XUD11A OR TURBO DIESEL XUD11ATE TO O 06778 OR TURBO DIESEL XUD11BTE
	96 141 892	01	-TURBO INJECTION XU10J2TE, BVM TO O 06778
			HYDRAULIC TUBE
2	96 089 160	01	DIAM 6,35-1234 -INJECTION XU10J2, BVM
	96 027 353	01	DIAM 6,35-1570 -INJECTION XU10J2, BVA
	96 179 110	01	DIAM 6,35 LG=1230 -TURBO INJECTION XU10J2TE, BVM TO O 06778
	5270 25	01	DIAM 6,35 L=1546 -TURBO INJECTION XU10J2TE, BVA TO O 06778
	95 657 122	01	DIAM 6,35-1297 -DIESEL XUD11A
	95 657 123	01	DIAM 6,35-1297 -TURBO DIESEL XUD11ATE, BVM TO O 06628
	5270 CG	01	DIAM 6,35 L = 1327 -TURBO DIESEL XUD11BTE, BVM FROM O 06628 TO O 0677
	4025 71	01	-TURBO DIESEL XUD11ATE, BVA TO O 06778
3	96 064 576	01	- INJECTION XU10J2, BVM OR DIESEL XUD11A
	96 075 691	01	DIAM 6,35-530 -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06628 TO O 06778
	95 639 621	01	DIAM 6,35-354 -BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[11/98] M394110A

M394110A

				HYDRAULIC TUBE
4	**95 639 624**	01	FLEXIBLE - INJECTION XU10J2, BVM OR DIESEL XUD11A
	96 024 696	01	FLEXIBLE -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06629 TO O 06778
	95 639 623	01	FLEXIBLE -BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778
5	**5270 R8**	01	DIAM 4,5 L = 1306 - INJECTION XU10J2, BVM OR DIESEL XUD11A
	5270 F4	01	DIAM 4,5 L = 1370 -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06629 TO O 06778
	96 167 384	01	-BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778
6	**96 154 101**	01	DIAM4,5 L = 1284 TO O 06778
	4885 F5	01	DIAM 4,5 L = 1324 FROM O 06779
7	**95 639 634**	01	DIAM 3,5-700
8	**5270 E0**	01	DIAM 3,5 L = 1032
9	**5270 W7**	01	DIAM 3,5 L = 1479
10	**5270 G6**	01	DIAM 3,5 L = 1168
11	**5270 L9**	01	DIAM 3,5 L = 3318
12	**95 639 639**	01	DIAM 3,5-525

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[1/98] M3941I0A

M3941I0A

				HYDRAULIC TUBE
13	**5270 J0**	01	DIAM 3,5 L = 963	
14	**5270 H9**	01	DIAM 3,5 L = 1270	
15	**5 438 353**	01	**PIPE 3WAY UNION** 3 DIAM 8X1,25 FRONT	
16	**5 446 900**	01	**PIPE 4WAY UNION** REAR	
17	**96 153 495**	01	**HYD PIPE UNION** 2X2 VOIES	
			SUCTION TUBE	
51	**5270 49**	01	-RIGHT HAND DRIVE: INJECTION XU10J2 OR DIESEL XUD11A	
	96 157 411	01	C001 RUBBER -TURBO INJECTION XU10J2TE, BVM, RIGHT HAND DRIVE TO O 06778	
	5270 50	01	-BVM, RIGHT HAND DRIVE. TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06629 TO O 06778	
			HYDRAULIC TUBE	
56	**96 158 046**	01	DIAM 4,5 L = 1295 -RIGHT HAND DRIVE TO O 06778	
	5270 CQ	01	DIAM 4,5 L = 1321 -RIGHT HAND DRIVE FROM O 06779	

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394120A

- UNVARIABLE POWER STEERING, 5 SUCKERS PRESS PUMP, HYDRACTIVE SUSPENSION

1			**SUCTION TUBE**
	5270 48	01	- INJECTION XU10J2 OR TURBO INJECTION XU10J2TE, BVA TO O 06778 OR DIESEL XUD11A OR TURBO DIESEL XUD11ATE TO O 06778 OR TURBO DIESEL XUD11BTE
	96 141 892	01	-TURBO INJECTION XU10J2TE, BVM TO O 06778
	5270 47	01	-INJECTION ZPJ
2			**HYDRAULIC TUBE**
	96 089 160	01	DIAM 6,35-1234 -INJECTION XU10J2, BVM
	96 027 353	01	DIAM 6,35-1570 -INJECTION XU10J2, BVA
	5270 25	01	DIAM 6,35 L = 1546 -TURBO INJECTION XU10J2TE, BVM TO O 06778
	96 179 110	01	DIAM 6,35 LG = 1230 -TURBO INJECTION XU10J2TE, BVA TO O 06778
	96 069 957	01	DIAM 6,35 -INJECTION ZPJ, BVA
	95 657 122	01	DIAM 6,35-1297 -DIESEL XUD11A
	95 657 123	01	DIAM 6,35-1297 -TURBO DIESEL XUD11ATE, BVM TO O 06628
	5270 CG	01	DIAM 6,35 L = 1327 -TURBO DIESEL XUD11BTE, BVM FROM O 06629 TO O 06778
	4023 71	01	-TURBO DIESEL XUD11ATE, BVA TO O 06778
3	96 064 576	01	- INJECTION XU10J2, BVM OR DIESEL XUD11A
	96 075 691	01	DIAM 6,35-530 -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06629 TO O 06778

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394120A

			HYDRAULIC TUBE
	95 639 621	01	DIAM 6,35-354 -BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778
	96 069 958	01	DIAM 6,35 -INJECTION ZPJ, BVA
4	95 639 624	01	FLEXIBLE - INJECTION XU10J2, BVM OR DIESEL XUD11A
	96 024 696	01	FLEXIBLE -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06628 TO O 06778
	95 639 623	01	FLEXIBLE -BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778
	96 069 959	01	FLEXIBLE -INJECTION ZPJ, BVA
5	5270 R8	01	DIAM 4,5 L = 1306 - INJECTION XU10J2, BVM OR DIESEL XUD11A
	5270 F4	01	DIAM 4,5 L = 1370 -BVM: TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06628 TO O 06778
	96 167 384	01	-BVA: INJECTION XU10J2 OR TURBO INJECTION XU10J2TE TO O 06778 OR TURBO DIESEL XUD11ATE TO O 06778
	96 167 382	01	-INJECTION ZPJ, BVM TO O 06778
	5270 CZ	01	DIAM 4,5 L = 1291 -INJECTION ZPJ, BVA FROM O 06779

.../...

31/06/2001

SUPPLY PIPING FRONT SUSPENSION



02/1994 M394120A

M394120A

			HYDRAULIC TUBE
6	96 154 101	01	DIAM4,5 L = 1284 TO O 06778
	4885 F5	01	DIAM 4,5 L = 1324 FROM O 06779
7	5270 59	01	DIAM 3,5 L = 506
8	5270 G7	01	DIAM 3,5 L = 779
9	5270 61	01	DIAM 3,5 L = 267
10	5270 G8	01	DIAM 3,5 L = 297
11	5270 G9	01	
12	5270 H0	01	
13	5270 N0	01	DIAM 3,5 L = 2647
14	5270 J1	01	DIAM 3,5 L = 598 TO O 06544
	5270 X5	01	DIAM 3,5 L = 635 FROM O 06545
15	5270 J2	01	DIAM 3,5 L = 332
16	5270 67	01	DIAM 3,5 L = 397
17	5270 EL	01	DIAM 16X150
18	5270 J3	01	
			PIPE 3WAY UNION
19	5 444 608	01	FRONT
20	95 567 472	01	3 DIAM 3,5 AV REAR
21	96 153 495	01	**HYD PIPE UNION** 2X2 VOIES
			SUCTION TUBE
51	5270 49	01	-RIGHT HAND DRIVE: INJECTION XU10J2 OR DIESEL XUD11A
	96 157 411	01	C001 RUBBER -TURBO INJECTION XU10J2TE, BVM, RIGHT HAND DRIVE TO O 06778

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394120A

	5270 50	01	**SUCTION TUBE** -BVM, RIGHT HAND DRIVE TURBO DIESEL XUD11ATE TO O 06628 OR TURBO DIESEL XUD11BTE FROM O 06629 TO O 06778
	5270 47	01	-INJECTION ZPJ4, RIGHT HAND DRIVE
5b	96 158 046	01	**HYDRAULIC TUBE** DIAM 4,5 L = 1295 -RIGHT HAND DRIVE TO O 06778
	5270 CQ	01	DIAM 4,5 L = 1321 -RIGHT HAND DRIVE FROM O 06779

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394130A

- UNVARIABLE POWER STEERING, PRESS PUMP 6+2 + NON-SINKING, WITHOUT HYDRACTIVE SUSPENSION

			SUCTION TUBE
1	5270 E6	01	LONG 1600 -INJECTION XU10J4R, WITHOUT AIR CONDITIONING TO O 07083
	5270 CE	01	-WITHOUT AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE
	5270 E5	01	LONG 900 -INJECTION XU10J4R, AIR CONDITIONING TO O 07083
	5270 CF	01	-AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE
	5270 FC	01	DIAM 10X13 L = 1342 -INJECTION XU10J4R FROM O 07084
			HYDRAULIC TUBE
2	5270 91	01	DIAM 6,35 L = 752 -INJECTION XU10J4R, BVM, 5 DOOR SALOON, WITHOUT AIR CONDITIONING TO O 07083
	5270 88	01	DIAM 6,35 L = 1079 -INJECTION XU10J4R, BVM, 5 DOOR SALOON, AIR CONDITIONING TO O 07083
	5270 F1	01	DIAM 6,35 L = 956 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE, WITHOUT AIR CONDITIONING TO O 07083
	5270 F2	01	DIAM 6,35 L = 1395 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE, AIR CONDITIONING TO O 07803
	5270 E9	01	DIAM 6,35 L = 1237 -INJECTION XU10J4R, BVA, AIR CONDITIONING TO O 07083
	[illegible]	01	DIAM 6,35 L = 910 -INJECTION XU10J4R, BVA, WITHOUT AIR CONDITIONING TO O 07083
	5[illegible]	01	DIAM 6,35 L = 1016 -INJECTION XU10J4R, BVM, 5 DOOR SALOON FROM O 07084 TO O 07272

.../..

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394130A

			HYDRAULIC TUBE
5270 FP	01	DIAM 6,35 L = 1015 -INJECTION XU10J4R, BVM, 5 DOOR SALOON NEW MAGES-ATTACHMENT FROM O 07273	
5270 FF	01	DIAM 6,35 L = 1214 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE FROM O 07084 TO O 07272	
5270 FW	01	DIAM 6,35 L = 1214 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE NEW MAGES ATTACHMENT FROM O 07273	
5270 FQ	01	DIAM 6,35 L = 1157 -INJECTION XU10J4R, BVA FROM O 07084 TO O 07272	
5270 FV	01	DIAM 6,35 L = 1157 -INJECTION XU10J4R, BVA NEW MAGES-ATTACHMENT FROM O 07273	
5270 CN	01	DIAM 6,35 L = 853 -TURBO DIESEL XUD11BT.. BVM, WITHOUT AIR CONDITIONING TO O 07503	
5270 JQ	01	DIAM 6,35 L = 852 -TURBO DIESEL XUD11BTE, BVM, WITHOUT AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07504	
5270 CP	01	DIAM 6,35 -TURBO DIESEL XUD11BTE, BVM, AIR CONDITIONING TO O 07657	
5270 JV	01	DIAM 6,35 -LONG 1173 -TURBO DIESEL XUD11BTE, BVM, AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07658	
5270 CK	01	DIAM 6,35 L = 881 -BVA, WITHOUT AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE TO O 07500	
5270 JL	01	DIAM 6,35 L= 880 -TURBO DIESEL XUD11BTE, BVA, WITHOUT AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07501	
5270 CL	01	DIAM 6,35 -BVA, AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE TO O 07658	

.../...

31/08/2001

SUPPLY PIPING REAR SUSPENSION



M394150A

DIRAVI, HYDRACTIVE SUSPENSION : INJECTION ZPJ OR INJECTION ZPJ4

1	5270 47	01	SUCTION TUBE
			HYDRAULIC TUBE
2	5270 F9	01	DIAM 6,35 L = 1.95 - INJECTION ZPJ, BVM OR INJECTION ZPJ4
	96 024 685	01	DIAM 6,35-1316 -INJECTION ZPJ, BVA
3	5270 G2	01	DIAM 4,5 L = 132 - INJECTION ZPJ, BVM OR INJECTION ZPJ4
	96 024 687	01	DIAM 4,5-883 -INJECTION ZPJ, BVA TO O 06778
	5270 CY	01	DIAM 4,5 L = 1395 -INJECTION ZPJ, BVA FROM O 06778
4	96 024 7..	01	DIAM 4,5 1228
5	5270 59	01	DIAM 3.5 L = 506
6	5270 G7	01	DIAM 3,5 L = 279 -INJECTION ZPJ
	5270 H8	01	DIAM 3,5 L = 1956 -INJECTION ZPJ4
7	5270 61	01	DIAM 3,5 L = 287
8	5270 18	01	DIAM 3,5 L = -INJECTION ZPJ
	527 7	01	DIAM 3,5 L = 1707 -INJECTION ZPJ4
9	5270 G9	01	-INJECTION ZPJ
	96 093 906	01	DIAM 16X1,50 -INJECTION ZPJ4
10	5270 H0	01	-INJECTION ZPJ
	95 651 653	01	DIAM 16X1,50 -INJECTION ZPJ4
11	5270 N0	01	DIAM 3,5 L = 2847

.../...

31/05/2001

SUPPL. PIPING FRONT SUSPENSION



M3941450

- INJECTION ES9J4, UNVARIABLE POWEF STEERING

1	5270 GP	01	SUCTION TUBE
			HYDRAULIC TUBE
2	5270 FQ	01	DIAM 6,25 L = 1029
3	5270 GS	01	
4	5270 HE	01	DIAM 4,5 L = 1310
5	5270 GT	01	
6	5270 GW	01	
7	5270 H4	01	DIAM 3,5 L = 454
8	5270 H3	01	DIAM 3,5 L = 311
9	5270 GZ	01	DIAM 3,5 L 598
10	5270 I.	01	DIAM 3,5 L = 550
11	5270 H6	01	DIAM 3,5 L = 869
12	5270 X7	01	DIAM 3,5 L = 3486
13	5270 X3	01	DIAM 3,5 L = 578
14	5270 X4	01	DIAM 3,5 L = 261
15	5270 X2	01	DIAM 3,5 L = 1010
16	5270 J8	01	DIAM 3,5 L = 317
17	5270 X1	01	DIAM 3,5 L = 880
18	5270 X0	01	DIAM 3,5 L = 620
19	5270 KS	01	
20	5270 J3	01	
			PIPE 3WAY UNION
21	5 443 608	01	
22	96 027 373	01	DIAM 2/3,5- .,5
23	5280 L3	01	FIXING BRACKET

31/08/2001

SUPPLY PIPING FRONT SUSPENSION

5270 C.2 01

HYDRAULIC TUBE
DIAM 4,5 L = 1321
-RIGHT HAND DRIVE FROM O 06779



[11/02] M3941-0A

M3941-0A

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[11/98] M394140A

M394140A

			HYDRAULIC TUPE
12	5270 X7	01	DIAM 3,5 L = 3486
13	5270 J5	01	DIAM 3,5 L = 521 TO O 06544
	5270 X3	01	DIAM 3,5 L = 578 FROM O 06545
14	5270 J6	01	DIAM 3,5 L = 387 TO O 06551
	5270 X4	01	DIAM 3,5 L = 261 FROM O 06552
15	5270 J7	01	DIAM 3,5 L = 1006 TO O 06551
	5270 X2	01	DIAM 3,5 L = 1010 FROM O 06552
16	5270 J8	01	DIAM 3,5 L = 317
17	5270 K1	01	DIAM 3,5 L = 919 TO O 06551
	5270 X1	01	DIAM 3,5 L = 860 FROM O 06552
18	5270 K2	01	DIAM 3,5 L = 595 TO O 06551
	5270 X0	01	DIAM 3,5 L = 620 FROM O 06552
19	5270 K3	01	
20	5270 J3	01	
			PIPE SWAY UNION
21	5 449 608	01	REAR
22	96 027 373	01	3 DIAM 2/3,5-1/4,5 REAR
23	5280 47	01	**LINE BRACKET** REAR
			HYDRAULIC TUBE
54	96 158 046	01	DIAM 4,5 L = 1295 -RIGHT HAND DRIVE TO O 06778

.../...

31/09/2001

SUPPLY PIPING FRONT SUSPENSION



M394140A

			HYDRAULIC TUBE
1	5270 F3	01	4,5 LONG 1450 -INJECTION XU10J4R, BVM, 5 DOOR SALOON TO O 07083
	5270 FH	01	DIAM 4,5 L = 1534 -INJECTION XU10J4R, BVM, 5 DOOR SALOON FROM O 07084
	5270 F4	01	DIAM 4,5 L = 1370 -BVM: INJECTION XU10J4R, 5 DOOR ESTATE OR TURBO DIESEL XUD11BTE
	5270 G1	01	DIAM 4,5 L = 1443 -BVA: INJECTION XU10J4R OR TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE
	5270 F5	01	DIAM 4,5 L = 1342 -TURBO DIESEL DK5ATE
4	96 154 101	01	DIAM4,5 L = 1284 TO O 06778
	4885 F5	01	DIAM 4,5 L = 1324 -LEFT HAND DRIVE FROM O 06779
5	5270 G9	01	TO O 07528
	5270 GT	01	FROM O 07529
6	5270 H0	01	- INJECTION XU10J4R OR TURBO INJECTION XU10J2TE TO O 07518 OR TURBO DIESEL XUD11BTE TO O 07518 OR TURBO DIESEL DK5ATE
	5270 GW	01	-FROM O 07519 - TURBO INJECTION XU10J2TE OR TURBO DIESEL XUD11BTE
7	5270 H4	01	DIAM 3,5 L = 454
8	5270 H3	01	DIAM 3,5 L = 311
9	5270 GZ	01	DIAM 3,5 L 598
10	5270 H2	01	DIAM 3,5 L = 550
11	5270 H6	01	DIAM 3,5 L = 869

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394140A

		HYDRAULIC TUBE
5270 JV	01	DIAM 6,35 -LONG 1173 -TURBO DIESEL XUD11BTE, BVM, AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07658
5270 CL	01	DIAM 6,35 -BVA, AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE TO O 07658
5270 JT	01	DIAM 6,35 -LONG 1101 -TURBO DIESEL XUD11BTE, BVA, AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07659
5270 ZJ	01	DIAM 6,35 L = 1016 -INJECTION XU10J4R, BVM, 5 DOOR SALOON FROM O 07084 TO O 07272
5270 FP	01	DIAM 6,35 L = 1015 -INJECTION XU10J4R, BVM, 5 DOOR SALOON NEW MAGES-ATTACHMENT FROM O 07273
5270 FF	01	DIAM 6,35 L = 1214 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE FROM O 07084 TO O 07272
5270 FW	01	DIAM 6,35 L = 1214 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE NEW MAGES ATTACHMENT FROM O 07273
5270 FG	01	DIAM 6,35 L = 1157 -INJECTION XU10J4R, BVA FROM O 07084 TO O 07272
5270 FV	01	DIAM 6,35 L = 1157 -INJECTION XU10J4R, BVA NEW MAGES-ATTACHMENT FROM O 07273
5270 CJ	01	DIAM 6,35 L = 1219 -TURBO INJECTION XU10J2TE, BVM TO O 07563
5270 JR	01	DIAM 3,35 L 1218 -TURBO INJECTION XU10J2TE, BVM NEW MAGES ATTACHMENT FROM O 07564
5270 CH	01	DIAM 6,35 L = 1150 -TURBO INJECTION XU10J2TE, BVA TO O 07563
5270 JS	01	DIAM 6,35 L 1150 -TURBO INJECTION XU10J2TE, BVA NEW MAGES ATTACHMENT FROM O 07564

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[11/98] M394140A

M394140A

		HYDRAULIC TUBE
5270 JN	01	DIAM 6,35-LONG 1156 -TURBO DIESEL DK5ATE, WITHOUT AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07611
5270 F6	01	DIAM 6,35 L = 910 -INJECTION XU10J4R, BVA, WITHOUT AIR CONDITIONING TO O 07083
5270 CN	01	DIAM 6,35 L = 953 -TURBO DIESEL XUD11BTE, BVM, WITHOUT AIR CONDITIONING TO O 07503
5270 JQ	01	DIAM 6,35 L = 952 -TURBO DIESEL XUD11BTE, BVM, WITHOUT AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07504
5270 CK	01	DIAM 6,35 L = 881 -BVA, WITHOUT AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE TO O 07500
5270 JL	01	DIAM 6,35 L = 880 -TURBO DIESEL XUD11BTE, BVA, WITHOUT AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07501
5270 88	01	DIAM 6,35 L = 1079 -INJECTION XU10J4R, BVM, 5 DOOR SALOON, AIR CONDITIONING TO O 07083
5270 F2	01	DIAM 6,35 L = 1293 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE, AIR CONDITIONING TO O 07083
5270 F8	01	DIAM 6,35 L = 1325 -TURBO DIESEL DK5ATE, AIR CONDITIONING TO O 07610
5270 JP	01	DIAM 6,35-LONG 1332 -TURBO DIESEL DK5ATE, AIR CONDITIONING NEW MAGES ATTACHMENT FROM O 07611
5270 E9	01	DIAM 6,35 L = 1237 -INJECTION XU10J4R, BVA, AIR CONDITIONING TO O 07083
5270 CP	01	DIAM 6,35 -TURBO DIESEL XUD11BTE, BVM, AIR CONDITIONING TO O 07657

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



[11/98] M394140A

M394140A

- UNVARIABLE POWER STEERING, PRESS PUMP 6+2 + NON-SINKING, HYDRACTIVE SUSPENSION

			SUCTION TUBE
1	5270 E6	01	LONG 1600 -INJECTION XU10J4R, WITHOUT AIR CONDITIONING TO O 07083
	5270 CE	01	-WITHOUT AIR CONDITIONING: TURBO DIESEL XUD11ATE OR TURBO DIESEL XUD11BTE
	4020 TZ	01	- TURBO DIESEL DK5ATE, WITHOUT AIR CONDITIONING TO O 07699 OR EXCEPT (S) FROM O 07700
	4020 TW	01	-TURBO DIESEL DK5ATE, WITHOUT AIR CONDITIONING, (S) FROM O 07700
	5270 E5	01	LONG 900 -INJECTION XU10J4R, AIR CONDITIONING TO O 07083
	5270 CF	01	-AIR CONDITIONING: TURBO DIESEL XUD11BTE OR TURBO DIESEL XUD11ATE
	4020 8Z	01	- TURBO DIESEL DK5ATE, AIR CONDITIONING TO O 07699 OR EXCEPT (S) FROM O 07700
	4020 TX	01	-TURBO DIESEL DK5ATE, AIR CONDITIONING, (S) FROM O 07700
	5270 CA	01	-TURBO INJECTION XU10J2TE
	5270 FC	01	DIAM 10X13 L = 1342 -INJECTION XU10J4R FROM O 07084
			HYDRAULIC TUBE
2	5270 91	01	DIAM 6,35 L = 752 -INJECTION XU10J4R, BVM, 5 DOOR SALOON, WITHOUT AIR CONDITIONING TO O 07083
	5270 F1	01	DIAM 6,35 L = 966 -INJECTION XU10J4R, BVM, 5 DOOR ESTATE, WITHOUT AIR CONDITIONING TO O 07083
	5270 F7	01	DIAM 6,35 L = 1157 -TURBO DIESEL DK5ATE, WITHOUT AIR CONDITIONING TO O 07610

.../...

31/08/2001

SUPPLY PIPING FRONT SUSPENSION



M394130A

				HYDRAULIC TUBE
	5270 X4	01	DIAM 3,5 L = 281 FROM O 06552
14	**5270 J7**	01	DIAM 3,5 L = 1006 TO O 06551
	5270 X2	01	DIAM 3,5 L = 1010 FROM O 06652
15	**5270 J8**	01	DIAM 3,5 L = 317
16	**5270 J9**	01	DIAM 3,5 L = 1388 TO O 06551
	5270 X6	01	DIAM 3,5 L = 1347 FROM O 06552
17	**5270 K0**	01	DIAM 3,5 L = 734
			PIPE 3WAY UNION
18	**5 438 353**	01	3 DIAM 6X1,25 FRONT
13	**5 444 608**	01	REAR
20	**96 027 373**	01	3 DIAM 2/3,5-1/4,5 REAR
21	**5280 47**	01	**LINE BRACKET**
			HYDRAULIC TUBE
54	**96 158 046**	01	DIAM 4,5 L = 1295 -RIGHT HAND DRIVE TO O 06778
	5270 CQ	01	DIAM 4,5 L = 1321 -RIGHT HAND DRIVE FROM O 06779